

REVISIONS
REV DESCRIPTION DATE INITIAL APPROVED





DETAIL A SCALE 1 : 8



ASSY QTY	ASSY QTY	В/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	Χ		-1	2	WELDMENT			2
	2		-3		BEAM	STEEL	.095 WALL X 2 X 2 X 40-1/8	3
	1		-5		UPRIGHT	STEEL	.095 WALL X 2 X 2 X 40-1/8	4
	6		-7		SHELF TUBE	STEEL	.095 WALL X 2 X 2 X 18-1/4	5
	2		-9		TOP GUSSET	1018	1/8 X 5-1/8 X 7-5/8	6
	2		-11		BOTTOM GUSSET	1018	1/8 X 2-1/8 X 7-1/8	7
	10		-13		END CAP	1018	1/8 X 2-1/8 X 2-1/8	8
	2		-15		WHEEL PLATE	1018	1/2 X 4-1/8 X 4-5/8	9
Χ			-17	2	WELDMENT			10
1			-19		CROSSMEMBER	STEEL	.095 WALL X 2 X 2 X 67-5/8	11
4			-21		CROSSBRACE	STEEL	.095 WALL X 1 X 1 X 9-5/8	12
2			-23		BRACE	1018	1/8 X 2-1/8 X 20-1/8	13
			-25	16	LARGE DIAMETER WASHER	STEEL	1/4 X 2 O.D . MCMASTER-CARR #91090A116 (MODIFIED)	14
		B/O	-27	2	FOAM	NEOPRENE ADHESIVE BACKED	1/2 X 2 X 25ft. MCMASTER-CARR #8694K89	1
		B/O	-29	8	HEX HEAD CAP SCREW	STEEL	3/8-16 X 3 MCMASTER-CARR #92620A636	1
		B/O	-31	16	FLAT WASHER	STEEL	3/8 MCMASTER-CARR #98026A031	1
1		B/O	-33	8	HEX NUT	STEEL	3/8-16 MCMASTER-CARR #94895A031	1
		B/O	-35	16	FLAT HEAD PHILLIPS MACHINE SCREW	STEEL	#10-32 X 3/4 MCMASTER-CARR #90273A831	1
		B/O	-37	4	6in. LOCKING SWIVEL WHEELS W/BRAKES		APPLIED (BASSICK #CAS60156Y200A81 BG SL BK W/BRAKES)	1
		B/O	-39	16	SOCKET HEAD CAP SCREW	STEEL	3/8-16 UNC X 5/8 MCMASTER-CARR #91251A621	1
		B/O	-41	16	LOCK WASHER	STEEL	Ø3/8 MCMASTER-CARR #90073A231	1
		B/O	-43	1	RED BARN PLACARD	ALUMINUM	RB41009	1
		B/O	-45	4	#2 DRIVE SCREW	COATED STEEL	1/8 MCMASTER-CARR #90081A074	1
ASSY -17	ASSY - 1							


	RB	RED	BAR	N MAC	CHINE			
TITLE	SMALL BLADE RACK							
DWG NO			RBW	10002		REV		
MAT'L				DRAWN BY:	MARPET			
Ų		OTHERWISE SIONS ARE I		APPROVED	D Weil	2		
.xxx	± .005		IONS ± 1/32	HEAT TREAT				
.XX	± .01 ± .1		GLES ±.5°	FINISH				
	_	SHARP EDG	ES .015 x 45	SPEC				
OR .0		AL LIMITS AF	DIVACTOR	USED ON MODEL				
PLA		AL LIMITS AF	PLTAFIER	AGUSTA				
SCALE	- 1	.24	DATE A	/10/2012	QUEET 1	OE 14		







 REVISIONS

 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED









(-5

UPRIGHT





REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine. REV DESCRIPTION INITIAL APPROVED (34°) 5.00 (.125) RED BARN MACHINE TOP GUSSET TITLE SMALL BLADE RACK DWG NO. REV RBW10002-9 DRAWN BY: MARPET MAT'L 1018 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 FRISH S .XX ± .01 ANGLES ± .5° FRISH S .XX ± .1 SEE -1 WELDMENT 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

USED ON MODEL AGUSTA

SHEET 6 OF 14

SCALE


DATE

4/18/2013

REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine. REV DESCRIPTION INITIAL APPROVED (16°) 2.00 7.00


(-11


BOTTOM GUSSET




REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine. REV DESCRIPTION INITIAL APPROVED -10-32 UNF THRU ALL 1.91 .95 (.125) RED BARN MACHINE TITLE SMALL BLADE RACK **END CAP** REV RBW10002-13 DRAWN BY: MARPET MAT'L 1018 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 FRISH S .XX ± .01 ANGLES ± .5° FRISH S .XX ± .1 SEE -1 WELDMENT 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL AGUSTA SCALE DATE 4/18/2013 SHEET 8 OF 14 1:1

REVISIONS
REV DESCRIPTION DATE INITIAL APPROVED








(-15


WHEEL PLATE


® RED BARN MACHINE								
SMALL BLADE RACK								
RBW10002-15								
MAT'L 1018		DRAWN BY: CLOUGH						
UNLESS OTHERWISE		APPROVED D Weil						
VVV + DOE		HEAT TREAT						
VV ± 04	GLES ±.5°	FINISH SEE -1 WELDMENT						
1. BREAK ALL SHARP EDG	ES .015 x 45°	SPEC						
OR .015R		USED ON MODEL						
2. DIMENSIONAL LIMITS AF PLATING	PLT AFIER	AGUSTA						
SCALE 1:3	DATE 12/	10/2012 SHEET 9 OF 14						




 REVISIONS

 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED









(-19)


CROSSMEMBER




 REVISIONS

 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED








(-21)


CROSSBRACE




 REVISIONS

 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED










(-23)

BRACE



REVISIONS
REV DESCRIPTION DATE INITIAL APPROVED





TITLE



SMALL BLADE RACK

LARGE DIAMETER WASHER